

ACTION 100 S Scale & Rust Remover

Product Description

A powerful acidic cleaner, **ACTION 100 S** effectively removes scale and rust stains from mosaic and concrete surfaces. Despite its strong acid cleaning properties, when used properly, special corrosion inhibitors make **ACTION 100 S** safe to clean metals, such as on urinal gutters.

Areas of Use

ACTION 100 S should be used on mosaic, cement, concrete and many metal surfaces for the one-time removal of rust stains and scale.

Special Features

- Optimum blend of acids and surfactants for maximum cleaning power
- High viscosity for "clinging" effect allows for effective cleaning of vertical surfaces
- Corrosion inhibiting properties makes it safe on most metals, except aluminum and magnesium
- Concentrated for greater economy, dilutable for different applications.

Directions for use

Dilute with cold water only. Dilution rates may vary, general guidelines are:

- Heavy scale
- ~ dilute 1:1
- Medium scale / rust deposits ~ dilute 1:4
- Light rust stains / oil deposits ~ dilute 1:8

Apply with mop, cloth or acid proof sprayer and allow reaction on surface for 1-2 minutes. Scrub briskly with nylon pad or stiff brush, then flush well with water. Cleaned surface should be maintained regularly with an alkaline detergent such as *EASY CLEAN* or *ACTION 130*.

NOTE: Use **ACTION 100 S** for one time use on severe build-up, and not as a regular cleaning solution. It will etch marble, terrazzo and certain other surfaces. If unsure about suitability of product, test on an inconspicuous area first.

Precaution

This product is acidic. Avoid ingestion, inhalation, eye, and skin contact. Wear rubber gloves, protective clothing and provide adequate ventilation when handling. Flush or dilute with cold water if contacted in any way, and seek medical help if ingested, inhaled, or contacted with eye.

101027 18 Gul Crescent, Singapore 629527 • Tel: +65 6862 3388 • Fax: +65 6861 7575 • info@klenco-asia.com • www.klenco-asia.com Company Registration No: 197100402R KLENCO products are used in over 20 countries across Asia, the Middle East, Europe and Africa

\mathbf{S} AFETY \mathbf{D} ATA \mathbf{S} HEET

SECTION 1 - IDENTIFICATION						
Product Identifier: ACTION 100 S			Supplier: Klenco (Singapore) Pte Ltd.			
			Address: 18 Gul Crescent, Singapore 629527			
			Department: Chemical			
Other means of identification: Scale and Rust Remover			Person in Charge: Chemist			
Date of SDS: 01 January 2024			Phone: (65) 6862 3388			
Recommended use and restriction on use: ACTION 100 S should be			Fax: (65) 6861 7575			
used on mosaic, cement, concrete and many metal surfaces for the one-			Email: info@klenco-asia.com			
time removal of rust stains and scale.			Emergency contact: (65) 6862 3388 Ext 249			
SECTION 2 - HAZARDS IDENTIFICATION						
GHS classification: Acute oral toxicity: Category 3						
Skin corrosion: Category 1; Serious eye damage: Category 1						
GHS label elements: Pictogram: Signal words: Danger						
Hazard statements: H301: Toxic if swallowed.						
H314: Causes skin burns and eye damage.						
Precaution statements: P233: Keep container tightly closed.						
P280: Wear protective gloves/ protective clothing/ eye protection/ face protection. SECTION 3 - COMPOSITION/ INFORMATION ON INGREDIENTS						
					50.110	
Chemical Identification	Component & Composition	Cnem	ical Formula	CAS NO.	EC NO.	
Hydrochloric Acid	< 9.0 %	HCI		7647-01-0	231-595-7	
Hydrofluoric Acid	< 2.0 %	HF		7664-39-3	231-634-8	
Bis(2-Hyroxyethyl) Tallow Alkylamine	< 1.0 %	C4H11NO	2	61791-44-4	263-177-5	
Burnt Sugar	< 1.0 %	C7H10O2		8028-89-5	232-435-9	
Water	> 80.0 %	H ₂ O		7732-18-5	231-791-2	
	ON 4 – FIRST AID		RES	•		
Inhalation:Move to area of fresh air. If breathing has stopped, artificial respiration should be started. Oxygen may be administered if available. Call a physician. Never give anything by mouth to an unconscious person.Skin contact:Wash with large amounts of soap and water. If irritation persists, consult a physician.Eye contact:Flush with cool water for at least 15 minutes. Then consult a physician immediately.						
Ingestion: Induce vomiting. Dilute by drinking water. Call a physician immediately.						
Notes to Physicians: Treatment should be directed at preventing absorption, administering to symptoms (if they						
occur), and providing supportive therapy.						
SECTION 5 – FIRE-FIGHTING MEASURES						
Suitable fire-extinguishing media: Water, dry chemical, fog and alcohol foam.						
Specific hazards arising from the chemical: Burning can produce carbon dioxide, carbon monoxide and possibly irritating fumes.						
Special protective actions for fire fighters: Fire fighters may be exposed to the products of combustion should wear a self-contained breathing apparatus with full protective equipment.						
SECTION 6 - ACCIDENTIAL RELEASE MEASURE						
Personal precautions, protective equipment, and emergency measures: Use proper protective equipment (chemical protection suit, gloves, goggles, mask, etc).						
Environmental precautions: Chemical substance should not be released into the environment (water, soil).						
Methods and materials for containment and cleaning up: Safely stop discharge. Contain material, as necessary, with						
dike or barrier. Stop material from contaminating soil or from entering sewers or bodies of water. Provide optimum ventilation.						
Stop discharge, if safe to do so. Use proper protective equipment. Cover spills with absorbent clay, sawdust, inert material, soda						
ash, slaked lime and place in closed chemical waste containers. Dispose of according to applicable local, state and federal						
regulations.						
SECTION 7 - HANDLING AND STORAGE						
Precaution for safe handling: Handle all containers carefully. Do not throw or roll on the ground to prevent damage to						
containers. No other special precautions are needed for this product, as it is a mixture. Follow good manufacturing and handling						
practices. Wash thoroughly after handling, especially before eating and drinking. Wash contaminated goggles, face-shield, and						
gloves. Launder contaminated clothing before re-use.						
Conditions for safe storage, including any incompatibilities: This product is a corrosive liquid. Store in cool, dry, well-						
ventilated area at room temperature. Keep away from strong alkalis and oxidizing agents, especially chlorine releasing agents.						
Do not re-use empty container for food, clothing or products for human or animal consumption or where skin contact can occur.						

SECTION 8 - EXPOSURE CONTROLS/ PERSONAL PROTECTION				
-	/ Occupational exposure limits: ACGIH - TLV: Provide suitable personal protective equipment and/or ventilation to maintain exposure below TLV levels.			
Appropriate engine	ering control measures: Local exhaust ventilation is usually required, when vapours, mist, or dusts can be released.			
Personal Protection	: Use the protective equipment such as rubber/PVC gloves, safety glasses/goggles.			
SECTION 9 - PHYSICAL AND CHEMICAL PROPERTIES				
Appearance & Odour: Brown liquid with slightly pungent odour				
Solubility in water:	Complete			
Boiling Point:	100 ° C			
Specific Gravity:	1.040 +/- 0.01 g/cm ³			
PH:	0.0 to 1.2			
Flash Point (T.C.C.)				
Solid Contents %:	20.0 +/- 1.0			
Vapour Pressure:	Not determined			
Vapour Density: Not determined				
SECTION 10 - STABILITY AND REACTIVITY				
	atible materials: Strong alkalis and oxidizing materials.			
Chemical stability:	Stable under normal temperature and pressure.			
Possibility of hazar Condition to avoid:				
Condition to avoid:	SECTION 11 – TOXICOLOGICAL INFORMATION			
A suite terrisitur Oral				
Acute toxicity: Oral: Ingestion of high amount of product is fatal. Serious Skin and/or eye irritation: This product contains acidic material that will cause burns and intense irritation to eyes and/or skin.				
	SECTION 12 – ECOLOGICAL INFORMATION			
Toxicity: (Concentrations with a pH value of 6.0 or lower especially in fresh water may be fatal to fish and other			
aquatic organism. Can cause damage to aquatic plants and vegetation.				
Persistence and degradability: Product degrades readily by reaction of carbon dioxide in the air as well as decomposition by microorganism.				
Bioaccumulative potential: It is soluble in water and does not bio-accumulate.				
SECTION 13 – DISPOSAL CONSIDERATIONS				
Disposal method:	Dispose of in an approved waste facility according to local regulations.			
It is recommended that an alternative be selected according to the following order of preference, based upon environmental acceptability: (1) Re-cycle or rework, if feasible (2) Incinerate at an authorized facility (3) Treat at an acceptable waste treatment facility.				
SECTION 14 – TRANSPORT INFORMATION				
This material is non-regulated and no special requirement is necessary.				
	HS Code: 34024100			
SECTION 15 – REGULATORY INFORMATION				
International regula				
0	This product contains hydrochloric acid as an ingredient that is classified as corrosive under EC Classification.			
	R28 Very toxic if swallowed. R34 Causes burns.			
	S07 Keep container tightly closed.			
	Handle and open container with care.			
	Do not mix with oxidizing materials			
SECTION 16 – OTHER INFORMATION				
Hazard Rating: HMIS (Hazardous Materials Information System) HEALTH: 1				
FLAMMABILITY: 0				
REACTIVITY: 1				
0=Minimal, 1=Slight, 2=Moderate, 3=Serious, 4=Extreme				
	· · · · · · · · · · · · · · · · · · ·			

NOTICE: SDS is correct at date of publication. It is not necessarily fully adequate for every circumstance, nor to be confused with or followed in violation of applicable laws or insurance requirements. Health hazards and effects of over-exposure apply only to negligent handling or misuse of product in its concentrated form (as supplied); and not routine exposure to diluted product under normal use. No warranty, express or implied, of merchantability, fitness or accuracy of data is made; as such the vendor assumes no responsibility for injury or damages resulting from use of this product.