

# **EASY CLEAN Heavy Duty Degreaser**

## **Product Description**

**EASY CLEAN** is a water-soluble general-purpose detergent that contains powerful grease cutting solvents. Its fast, effective cleaning action makes it economical to use both material and labour wise, while a citrus perfume masks the solvent odours and makes it pleasant to use.

### **Areas of Use**

**EASY CLEAN** should be used to remove oil, grease and soil from factory equipment, tools, floors, walls, vehicle chassis, road signs, fan ducts and other industrial surfaces.

## **Special Features**

- Product is highly user-friendly.
  - Non-flammable
  - Non-volatile
  - Produces no toxic fumes
  - Biodegradable
- Product is soluble either in both soft or hard water
- Safe for use on a wide range of surfaces not affected by water, even on aluminum, formica and woodwork.
- Leaves no oily film after cleaning.
- Pleasant citrus fragrance

#### **Directions for Use**

Dilution rates vary according to specific conditions. General guidelines are:

- Regular cleaning of cars, buses and trucks
- Periodic cleaning of aluminum surfaces, woodwork, road signs ~ 1:20
- Cleaning of heavily soiled concrete, factory and garage floors, work benches, greasy engines, batteries ~ 1:5

Apply by spraying, sponge, or cloth; scrub or agitate if necessary; then wipe clean or rinse. For heavy grease such as on machine parts and tools, soaking method may be used.

#### **Precautions**

As with most chemical products, avoid ingestion and eye contact. Wash hands thoroughly after use.

## SAFETY DATA SHEET

**SECTION 1 - IDENTIFICATION** 

Product Identifier: EASY CLEAN Supplier: Klenco (Singapore) Pte Ltd.

Address: 18 Gul Crescent, Singapore 629527

**Department:** Chemical Person in Charge: Chemist Other means of identification: Heavy Duty Degreaser

Date of SDS: 01 January 2024 Phone: (65) 6862 3388 Recommended use and restriction on use: EASY CLEAN should be Fax: (65) 6861 7575 Email: info@klenco-asia.com

used to remove oil, grease and soil from factory equipment, tools, floors, walls, vehicle chassis, road signs, fan ducts & other industrial surfaces.

Emergency contact: (65) 6862 3388 Ext 249

SECTION 2 - HAZARDS IDENTIFICATION

GHS classification: Acute toxicity: Oral: Category 4;

Skin irritation: Category 2; Eye irritation: Category 2

GHS label elements: Pictogram: Warning Signal word:

Hazard statements: H302: Harmful if swallowed.

H315: Causes skin irritation. H320: Causes eye irritation.

P102: Keep out of reach of children. Precaution statements:

P262: Do not get on skin.

P280: Wear protective gloves/ protective clothing.

SECTION 3 - COMPOSITION/ INFORMATION ON INGREDIENTS					
Chemical Identification	Component &	Chemical Formula	CAS NO.	EC NO.	
	Composition				
Ethylene Glycol Butyl Ether	< 3.0 %	CH3(CH2)3OCH2CH2OH	111-76-2	203-905-0	
Sodium Hydroxide	< 1.0 %	NaOH	1310-73-2	215-185-5	
Sodium Metasilicate	< 1.0%	Na2SiO3	6834-92-0	229-912-9	
Tetrapotassium Pyrophosphate	< 1.0 %	K4O7P4	7320-34-5	230-785-7	
Alkyl Diamine Oxide	< 2.0 %	C <sub>15</sub> H <sub>33</sub> NO	70592-80-2	274-687-2	
Nonyl Phenol Ethoxylate	< 3.0 %	C <sub>33</sub> H <sub>60</sub> O <sub>10</sub>	26571-11-9	247-816-5	
Sodium EDTA	< 0.3 %	$C_{10}H_{12}N_2Na_4O_8$	64-02-8	200-573-9	
Water	> 90.0 %	H <sub>2</sub> O	7732-18-5	231-791-2	
Blue Dye	< 0.01 %	CI 61585	4474-24-2	224-748-4	
Perfume	< 02 %	-	NA	NA	

#### **SECTION 4 – FIRST AID MEASURES**

Inhalation: Move to area of fresh air. If breathing has stopped, artificial respiration should be started. Oxygen may be administered if available. Call a physician. Never give anything by mouth to an unconscious person.

Wash with large amounts of soap and water. If irritation persists, consult a physician. Skin contact: Flush with cool water for at least 15 minutes. Then consult a physician immediately. Eye contact:

Induce vomiting. Dilute by drinking water. Call a physician immediately. Ingestion:

Notes to Physicians: Treatment should be directed at preventing absorption, administering to symptoms (if they

occur), and providing supportive therapy.

## **SECTION 5 – FIRE-FIGHTING MEASURES**

Suitable fire-extinguishing media: Water, dry chemical, carbon dioxide and foam.

Specific hazards arising from the chemical: Burning can produce carbon dioxide, carbon monoxide and

traces of nitrogen oxides.

Special protective actions for fire fighters: Fire fighters may be exposed to the products of combustion should wear a self-contained breathing apparatus with full protective equipment.

#### **SECTION 6 - ACCIDENTIAL RELEASE MEASURE**

Personal precautions, protective equipment, and emergency measures: Use proper protective equipment (chemical protection suit, gloves, goggles, mask, etc)

Chemical substance should not be released into the environment (water, soil). **Environmental precautions:** 

Methods and materials for containment and cleaning up: Safely stop discharge. Contain material, as necessary, with dike or barrier. Stop material from contaminating soil or from entering sewers or bodies of water.

Cover spills with absorbent clay, sawdust or inert material and place in closed chemical waste containers.

Dispose of according to applicable local, state and federal regulations.

#### **SECTION 7 - HANDLING AND STORAGE**

Precaution for safe handling: Wash thoroughly after handling, especially before eating and drinking, Wash contaminated goggles, face-shield, and gloves. Launder contaminated clothing before re-use.

Conditions for safe storage, including any incompatibilities: Keep container closed to prevent contamination. Store in cool, dry, well-ventilated area at room temperature. Keep away from children.

Do not re-use empty container for food, clothing or products for human or animal consumption or where skin contact can occur.

SECTION 8 - EXPOSURE CONTROLS/ PERSONAL PROTECTION				
Control parameters/ Occupational exposure limits:		ACGIH - TLV: Provide suitable personal protective equipment		
_		and/or ventilation to maintain exposure below TLV levels.		
Appropriate engineering control measures:		Local exhaust ventilation usually required, when vapours, mist, or		
dusts can be released.				
Personal Protection:	Use the protective equipment such as rubber/PVC gloves; protective glasses if splashing is			
anticipated.				
SECTION 9 - PHYSICAL AND CHEMICAL PROPERTIES				
Appearance & Odour:	Clear blue liquid with pleasa	nt odour.		
Solubility in water:	Complete.			
Boiling Point:	100 <sup>0</sup> C			
Specific Gravity:	1.015 +/- 0.005 g/cm <sup>3</sup>			
PH:	13.0 +/- 0.5			
Flash Point (T.C.C.):	None to boiling Flamma	ble Limits - Upper: Not applicable Lower: Not applicable		
Vapour Pressure:	Not determined			
Vapour Density:	Not determined			
SECTION 10 - STABILITY AND REACTIVITY				
	materials: Strong acids and o	xidizing materials.		
Chemical stability:		al temperature and pressure.		
Possibility of hazardous	reaction: Will not occur.			
Condition to avoid:	Not applicable			
SECTION 11 – TOXICOLOGICAL INFORMATION				
Acute toxicity: Oral:	Ingestion of high amount of	product may be fatal.		
Skin or eye irritation:	This product contains sodiur	n metasilicate that may cause irritation to eyes and/or skin.		
SECTION 12 – ECOLOGICAL INFORMATION				
Toxicity: Conce	<b>Toxicity:</b> Concentrations with a pH value of 10.5 or greater especially in fresh water may be fatal to fish and other			
aquatic organism. Can cause damage to aquatic plants and vegetation.				
Persistence and degradability: Product degrades readily by reaction of carbon dioxide in the air as well as				
decomposition by micro-organism.				
Bioaccumulative potential: It is soluble in water and does not bio-accumulate.				
OFOTION 40 DIODOCAL CONCIDED ATIONS				

# SECTION 13 – DISPOSAL CONSIDERATIONS

**Disposal method:** Dispose of in an approved waste facility according to local regulations.

It is recommended that an alternative be selected according to the following order of preference, based upon environmental acceptability: (1) Re-cycle or rework, if feasible (2) Incinerate at an authorized facility (3) Treat at an acceptable waste treatment facility.

## **SECTION 14 - TRANSPORT INFORMATION**

This material is non-regulated and no special requirement is necessary.

HS Code: 34024290

## **SECTION 15 - REGULATORY INFORMATION**

#### International regulation:

Classification: This product contains sodium metasilicate and potassium hydroxide as ingredients that are classified

as corrosive under EC Classification.

Risk phrases: R22 Harmful if swallowed.

R38 Irritating to skin. Safety phrases: S02 Keep out of reach of children.

S24 Avoid contact with skin.

S36/37 Wear suitable protective clothing and gloves.

## **SECTION 16 – OTHER INFORMATION**

Hazard Rating: HMIS (Hazardous Materials Information System)

**HEALTH:** FLAMMABILITY: 0 **REACTIVITY:** 

0=Minimal, 1=Slight, 2=Moderate, 3=Serious, 4=Extreme

NOTICE: SDS is correct at date of publication. It is not necessarily fully adequate for every circumstance, nor to be confused with or followed in violation of applicable laws or insurance requirements. Health hazards and effects of over-exposure apply only to negligent handling or misuse of product in its concentrated form (as supplied); and not routine exposure to diluted product under normal use. No warranty, express or implied, of merchantability, fitness or accuracy of data is made; as such the vendor assumes no responsibility for injury or damages resulting from use of this product.

Page 2 of 2 107001