



better products
cleaner environment

PREMIUM GLOSS **Wooden Floor Finish**

Product Description

A high-grade solvent wax floor finish formulated to protect and improve the look of hard wooden surfaces. ***PREMIUM GLOSS*** contains an oak stain to enhance the rich natural look of wood-based floors.

Areas of Use

PREMIUM GLOSS is an ideal product for parquet, timber, cork, linoleum and other wood floors. It should not be used on vinyl, stone, rubber or other floor surfaces.

Special Features

- Easy to apply.
- Blend of high-quality solvents and polymers provides a shine while at the same time protects the wood flooring.
- Contains a brown oak stain to enhance the rich colour of wood.

Directions for Use

- Floor must be clear of dirt, stains and oil. Remove any dust present by damp mopping, using minimum amount of water, and allow to dry.
- Apply one coat of ***PREMIUM GLOSS*** using a clean mop, and allow to dry.
- When dry, polish/buff with a floor machine to a shine.
- If necessary, apply a second coat, allow to dry and buff again.
- Regular damp mopping of the floor is to be carried out using a mild detergent. Alternatively, machine buff/polish with pads to remove surface dirt.

Note: This product is designed for hard wooden surfaces only. Solvent content will attack vinyl, stone and rubber floor surfaces.

Precautions

As with most chemical products, avoid ingestion and eye contact. If ingested, dilute by drinking water and seek medical help. If product enters eyes, flush thoroughly with water and seek medical help.

SAFETY DATA SHEET

SECTION 1 - IDENTIFICATION				
Product Identifier: PREMIUM GLOSS		Supplier: Klenco (Singapore) Pte Ltd. Address: 18 Gul Crescent, Singapore 629527 Department: Chemical Person in Charge: Chemist		
Other means of identification: Wooden Floor Finish		Phone: (65) 6862 3388		
Date of SDS: 1 January 2022		Fax: (65) 6861 7575		
Recommended use and restriction on use: PREMIUM GLOSS is an ideal product for parquet, timber, cork, linoleum and other wood floors. It should not be used on vinyl, stone, rubber or other floor surfaces.		Email: info@klenco-asia.com Emergency contact: (65) 6862 3388 Ext 249		
SECTION 2 - HAZARDS IDENTIFICATION				
GHS classification: Flammable liquid: Category 3; Eye irritation: Category 2,		Acute toxicity: Category 4 Skin irritation: Category 2		
GHS label elements: Pictogram:		Signal Words: Warning		
 				
Hazard statements:	H226: Flammable liquid H315: Causes skin irritation H320: Causes eye irritation			
Precaution statements:	P102: Keep out of reach of children. P210: Keep away from heat/sparks/open flames/hot surfaces – No smoking. P262: Do not get in eyes.			
SECTION 3 - COMPOSITION/ INFORMATION ON INGREDIENTS				
Chemical Identification	Component & Composition	Chemical Formula	CAS NO.	EC NO.
Solvent White Spirit	> 80.0 %	NA	64475-85-0	232-455-8
Oxidized Hydrocarbon Wax	< 15.0 %	NA	NA	NA
Dye	< 0.1 %	NA	NA	NA
SECTION 4 – FIRST AID MEASURES				
Inhalation:	Move to area of fresh air. If breathing has stopped, artificial respiration should be started. Oxygen may be administered if available. Call a physician. Never give anything by mouth to an unconscious person.			
Skin contact:	Wash with large amounts of soap and water. If irritation persists, consult a physician.			
Eye contact:	Flush with cool water for at least 15 minutes. Then consult a physician immediately.			
Ingestion:	Induce vomiting. Dilute by drinking water. Call a physician immediately.			
Notes to Physicians:	Treatment should be directed at preventing absorption, administering to symptoms (if they occur), and providing supportive therapy.			
SECTION 5 – FIRE-FIGHTING MEASURES				
Suitable fire-extinguishing media:	Dry chemical, carbon dioxide and foam.			
Specific hazards arising from the chemical:	Burning can produce carbon dioxide and/or carbon monoxide.			
Special protective actions for fire fighters:	Fire fighters may be exposed to the products of combustion should wear a self-contained breathing apparatus with full protective equipment.			
SECTION 6 - ACCIDENTIAL RELEASE MEASURE				
Personal precautions, protective equipment, and emergency measure: Use proper protective equipment (chemical protection suit, gloves, goggles, mask, etc).				
Environmental precautions: Chemical substance should not be released into the environment (water, soil).				
Methods and materials for containment and cleaning up: Safely stop discharge. Contain material, as necessary, with dike or barrier. Stop material from contaminating soil or from entering sewers or bodies of water. Eliminate all sources of ignition. Cover spills with absorbent clay, sawdust or inert material and place in closed chemical waste containers. Dispose of according to applicable local, state and federal regulations.				
SECTION 7 - HANDLING AND STORAGE				
Precaution for safe handling: Wash thoroughly after handling, especially before eating and drinking. Wash contaminated goggles, face-shield, and gloves. Launder contaminated clothing before re-use.				
Conditions for safe storage, including any incompatibilities: This product is a flammable liquid. Store in cool, dry, well-ventilated area at room temperature. Keep away from any possible source of ignition. Store away from any oxidizing materials. Do not re-use empty container for food, clothing or products for human or animal consumption or where skin contact can occur.				

SECTION 8 - EXPOSURE CONTROLS/ PERSONAL PROTECTION	
Control parameters/ Occupational exposure limits:	ACGIH - TLV: Provide suitable personal protective equipment and/or ventilation to maintain exposure below TLV levels.
Appropriate engineering control measures:	Local exhaust ventilation usually required, when vapours, mist, or dusts can be released.
Personal Protection:	Use the protective equipment such as protective Rubber/PVC gloves; safety glasses/ goggle.
SECTION 9 - PHYSICAL AND CHEMICAL PROPERTIES	
Appearance & Odour:	Brown waxy liquid with characteristic odour.
Solubility in water:	Insoluble
Boiling Point:	154 ° C
Specific Gravity:	0.790 +/- 0.005 g/cm ³
PH:	Not applicable
Flash Point (T.C.C.):	43 ° C Flammable Limits - Upper: 6.5% Lower: 0.7%
Vapour Pressure:	Not determined
Vapour Density:	Not determined
SECTION 10 - STABILITY AND REACTIVITY	
Reactivity/ In compatible materials:	Acids and oxidizing materials.
Chemical stability:	Stable under normal temperature and pressure.
Possibility of hazardous reaction:	Will not occur.
Condition to avoid:	Do not expose to possible sources of ignition.
SECTION 11 – TOXICOLOGICAL INFORMATION	
Acute toxicity: Oral:	Ingestion of high amount of product may be fatal.
Skin or eye irritation:	This product contains petroleum solvent that may cause irritation to eyes and/or skin.
SECTION 12 – ECOLOGICAL INFORMATION	
Toxicity:	Toxic, LD 50 oral > 2000 mg/kg
Persistence and degradability:	Degrades readily by burning or emulsification only.
Bioaccumulative potential:	Appreciable evaporation to air is expected in the environment.
SECTION 13 – DISPOSAL CONSIDERATIONS	
Disposal method:	Dispose off in an approved waste facility according to local regulations. It is recommended that an alternative be selected according to the following order of preference, based upon environmental acceptability: (1) Re-cycle or rework, if feasible (2) Incinerate at an authorized facility (3) Treat at an acceptable waste treatment facility.
SECTION 14 – TRANSPORT INFORMATION	
This material is non-regulated and no special requirement is necessary. HS Code: 34052000	
SECTION 15 – REGULATORY INFORMATION	
International regulation:	
Classification:	This product contains petroleum solvent as an ingredient that is classified as flammable and combustible liquid under EC Classification.
Risk phrases:	R10 Flammable R36 Irritating to eyes
Safety phrases:	S02 Keep out of reach of children S16 Keep away from sources of ignition – No Smoking S25 Avoid contact with eyes
SECTION 16 – OTHER INFORMATION	
Hazard Rating: HMIS (Hazardous Materials Information System)	
HEALTH:	1
FLAMMABILITY:	3
REACTIVITY:	0
0=Minimal, 1=Slight, 2=Moderate, 3=Serious, 4=Extreme	

NOTICE: SDS is correct at date of publication. It is not necessarily fully adequate for every circumstance, nor to be confused with or followed in violation of applicable laws or insurance requirements. Health hazards and effects of over-exposure apply only to negligent handling or misuse of product in its concentrated form (as supplied); and not routine exposure to diluted product under normal use. No warranty, express or implied, of merchantability, fitness or accuracy of data is made; as such the vendor assumes no responsibility for injury or damages resulting from use of this product.